### **RESPONSE TO**

## LANCE HAVER'S INTERROGATORIES

**AND** 

REQUESTS FOR PRODUCTION OF DOCUMENTS

**QUESTIONS 1-27** 

Dated: March 2025

1	PLEASE NOTE THAT THE WATER DEPARTMENT HAS RENUMBERED THE
2	DISCOVERY QUESTIONS POSED BY MR. LANCE HAVER AS SEVERAL NUMBERS
3	WERE REPEATED IN THE PROVIDED LIST OF QUESTIONS.
4	
5	THE ORIGINAL NUMBERING UTILIZED BY MR. HAVER IS NOTED WHERE
6	APPLICABLE.
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	

1	LH-I-1.	PLEASE LIST THE NAMES AND POSITIONS OF ALL PWD EMPLOYEES
2		IN THE COST CONTAINMENT COMMITTEE AND/OR GROUP
3	RESPONSE	:
4	The V	Water Department does not have a "cost containment committee." Costs are managed
5	at eac	h responsibility center (unit/division) with the Finance Division serving in the leading
6	role.	
7		
8	RESPONSE	PROVIDED BY: Philadelphia Water Department
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
	I	

1	LH-I-2.	PLEASE LIST THE	NAMES AND POSITIONS OF ALL PWD EMPLOYEES
2		IN THE LOWERIN	G PROCUREMENT COSTS COMMITTEE AND/OR
3		GROUP.	
4			
5	RESPONSE	E:	
6	The	Water Department d	oes not have a "lowering procurement costs committee."
7	Proci	urement services and p	rograms are administered by the Procurement Department. See
8	also 1	response to LH-I-1, LH	I-I-3, and LH-I-4.
9			
10	RESPONSE	E PROVIDED BY:	Philadelphia Water Department
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27 28			
/ 🛆 📗	1		

LH-I-3. PLEASE LIST ALL SUCCESSFUL PROGRAMS IMPLEMENTED BY THE COST CONTAINMENT GROUP; THE AMOUNT OF MONEY SAVED AND HOW IT WAS SAVED

# **RESPONSE:**

PWD does not have a "cost containment group." See also response to LH-I-1.

Cost control at PWD starts with budgeting. PWD has an effective budget process through which all program managers submit and justify their budget to senior management. During the year, PWD Finance produces monthly budget monitoring reports that evaluate budget performance. As noted in PWD Statement 4A, the Department has also implemented operational changes with the goal of achieving efficiencies and cost savings for customers. See, PWD Statement 4A at 14-15. Examples of ongoing initiatives designed to achieve operational savings and efficiencies include our Northeast Water Pollution Control Plant cogeneration facility, bio-solids recycling center and ongoing implementation of Advanced Meter Reading Infrastructure.

As noted in PWD Statements 2A, 2B and 7, the Department's request for rate relief reflects the following adjustments during the rate period to help manage customer bill impacts and meet the financial obligations and metrics:

- Temporarily reducing the SMIP/GARP budget by \$10 million in FY 2025 and FY 2026.
- Setting rates for FY 2026 to meet 1.27x debt service coverage, instead of the target 1.30x set forth under the 2018 Rate Determination.
- Leaving the Rate Stabilization Fund for FY 2026 slightly below the \$135 Million target under the 2018 Rate Determination.
- Deferring the 20% cash funding target for capital projects.
- Refunding bonds to realize significant present value savings (\$21.8 million).

# PHILADELPHIA WATER DEPARTMENT Response to Lance Haver Interrogatory

1	Requesting and securing PennVest loans and grants with an aggregate value in excess
2	of \$500 million lowering the cost of our capital program.
3	
4	Also, see PWD Statement 2A at pages 23-24 for examples of steps taken by the
5	Department to lower the cost burden on our customers.
6	
7	Please also see the Water Department's Quarterly Reports to the Rate Board.
8	https://www.phila.gov/departments/water-sewer-storm-water-rate-board/about/.
9	
10	
11	RESPONSE PROVIDED BY: Philadelphia Water Department
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	

28

1	LH-I-4.	PLEASE LIST ALL THE SUCCESSFUL PROGRAMS IMPLEMENTED BY
2		THE LOWERING PROCUREMENT COSTS GROUP, HOW MUCH WAS
3		SAVED AND HOW IT WAS SAVED.
4		
5	RESPONSE:	
6	PWD o	does not have a "lowering procurement costs group." See also response to LH-I-2.
7		
8	The Ci	ity's Procurement Department has oversight over the cost of purchasing supplies
9	and sen	rvices. The Procurement Department manages and acquires goods and services for
10	the Cit	ty, including the Department, using a fair, open, and cost-effective process.
11		
12	Procur	rement Department services and programs can be accessed at their website:
13	https://	/www.phila.gov/departments/procurement-department/. Also, local bidding is
14	govern	ned by Section 17-109 of the Philadelphia Code and requires the participation of the
15	Procur	rement Commissioner.
16		
17	RESPONSE	PROVIDED BY: Philadelphia Water Department
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-5.	PLEASE PROVIDE A LIST OF ALL PWD VENDORS WITH EMPLOYEES
2		LIVING IN PHILADELPHIA; THE AMOUNT OF THE MONEY SPENT WITH
3		EACH OF THOSE VENDORS AND THE PERCENTAGE OF ALL
4		EXPENDITURES SPENT ON THOSE PHILADELPHIA VENDORS
5		
6	RESPONSE	:
7	The V	Vater Department objected to this information request. The Hearing Officer sustained
8	the W	ater Department's objection by her Order dated March 31, 2025. No further
9	respon	nse is required.
10		
11	RESPONSE	PROVIDED BY: Philadelphia Water Department
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26 27		
28		

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

27

28

PLEASE PROVIDE HOW MUCH EXCESS CAPAITICY PWD HAS IN ITS
INFRASTRUCTURE AND AGREEMENTS, WITH EXCESS CAPACITY
DEFINED AS THE DIFFERENCE BETWEEN WHAT IS BEING CURRENTLY
USED AND WHAT COULD BE USED IF THERE WAS ADDITIONAL
DEMAND, IN BOTH WATER AND SEWER CAPACITY

#### **RESPONSE:**

LH-I-6.

This question needs clarification in order for the Water Department to formulate a response. If Mr. Haver is referring to reserve capacity at our wastewater treatment plants, there is only limited capacity available given negotiations to renew PWD's wholesale wastewater agreement with the Delaware County Regional Water Quality Control Authority ("DELCORA"). This wholesale wastewater agreement was expected to expire (terminate with DELCORA leaving the system) in FY 2029. See, PWD Statement 7 at pages 16-17.

**RESPONSE PROVIDED BY:** Philadelphia Water Department

1	LH-I-7.	ORIGINAL NUMBER LH-1-6
2		
3		PLEASE LIST THE EMPLOYE (S) AND THEIR OFFICIAL TITLE (S)
4		TASKED WITH IDENTIFYING BUSINESSES WITH THE NEED FOR
5		WATER IN THEIR PROCESSING AND ALL THE REPORTS THE EMPLOYE
6		(S) PROVIDED TO THE CITY'S COMMERCE DIRECTOR
7		
8	RESPONSE	<b>:</b>
9	The V	Water Department does not have employees tasked with the specific responsibility
10	stated	l in the above information request.
11		
12	Phila	delphia's Department of Commerce works to (among other things) attract businesses
13	to the	e City. Department of Commerce services and programs can be accessed at:
14		https://www.phila.gov/departments/department-of-commerce/
15		
16	In add	dition, the Philadelphia Industrial Development Corporation ("PIDC") is
17	Phila	delphia's public-private economic development corporation. PIDC works to attract,
18	mana	ge, and invest public and private resources in the clients, communities, and markets
19	that e	energize Philadelphia's economy. PIDC's website is:
20	https:	//www.pidcphila.com/who-we-are.
21		
22	RESPONSE	PROVIDED BY: Philadelphia Water Department
23		
24		
25		
26		
27		
28		

1	LH-I-8.	ORIGINAL NUMBER LH-1-6
2		
3		PLEASE PROVIDE THE INCENTIVE RATES OFFERED NEW BUSINESSES
4		TO LOCATE IN THE CITY OF PHILADELPHIA, HOW LONG THE
5		INCENTIVE RATES ARE IN EFFECT, HOW THE INCENTIVE RATES
6		COMPARE WITH OTHER WATER UTILITIES' INCENTIVE RATES, AND
7		THE BASIS FOR SETTING THE INCENTIVE RATES
8		
9	RESPONSI	E:
10	The	Water Department does not have a program as surmised in the information request.
11		
12	RESPONSI	E PROVIDED BY: Philadelphia Water Department
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26 27		
$\begin{bmatrix} 27 \\ 28 \end{bmatrix}$		
40		

	PLEASE PROVIDE THE TITLE(S) OF THE PERSON (S) TASKED WITH
	DEVELOPING THE INCENTIVE RATES
RESPONSE:	
The W	Vater Department does not have employees tasked with the specific responsibility
stated	in the above information request.
RESPONSE	PROVIDED BY: Philadelphia Water Department
	The W

1	LH-I-10.	ORIGINAL NUMBER LH-1-8
2		
3		PLEASE PROVIDE THE AMOUNT, IN TOTAL, PWD IS BILLED FOR THE
4		OPERATIONS OF THE WATER RATE BOARD, INCLUDING, BUT NOT
5		LIMITED TO ANY AND ALL LAWYERS IT CONTRACTS WITH,
6		CONSULTANTS IT CONTRACTS WITH AND OPERATING EXPENSES
7		
8	RESPONSE	E <b>:</b>
9	Pleas	se see the Philadelphia Water, Sewer and Storm Water Rate Board (Rate Board)
10	budg	et as approved by City Council. This information request would be best directed to
11	the R	ate Board.
12		
13	RESPONSE	E PROVIDED BY: Philadelphia Water Department
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-11.	ORIGINAL NUMBER LH-1-9
2		
3		PLEASE EXPLAIN WHO AT PWD REVIEWS THE INVOICES OR
4		REQUESTS FOR PAYMENTS MADE BY THE WATER RATE BOARD.
5		
6	RESPONSE	:
7	The V	Vater Department does not have employees tasked with the responsibility stated in
8	the ab	ove information request. The budget of the Philadelphia Water, Sewer and Storm
9	Water	Rate Board (Rate Board) is approved by City Council. PWD does not review nor
10	appro	ve Rate Board invoices.
11		
12		
13	RESPONSE	PROVIDED BY: Philadelphia Water Department
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26 27		
21		

1	LH-I-12.	ORIGINAL NUMBER LH-1-10
2		
3		PLEASE EXPLAIN WHO AT PWD EVALUATES THE REQUESTS AND
4		HOW SHE/HE DECIDES WHICH REQUEST SHOULD BE PAID AND
5		WHICH SHOULD BE REJECTED
6		
7	RESPONSE	<b>:</b>
8	The V	Vater Department does not have employees tasked with the responsibility stated in
9	the ab	pove information request. The budget of the Philadelphia Water, Sewer and Storm
10	Water	r Rate Board (Rate Board) is approved by City Council. PWD does not review or
11	appro	ve Rate Board invoices.
12		
13		
14	RESPONSE	PROVIDED BY: Philadelphia Water Department
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26 27		
$\begin{bmatrix} 27 \\ 28 \end{bmatrix}$		

1	LH-I-13.	ORIGINAL NUMBER LH-1-10
2		
3		PLEASE LIST ALL THE OUTSIDE LEGAL COUNSELS PWD CONTRACTS
4		WITH, BY NAME AND FOR HOW MANY YEARS PWD HAS
5		CONTRACTED WITH THOSE LAWYERS
6		
7	RESPONSE	:
8	The V	Vater Department objected to this information request. The Hearing Officer sustained
9	the W	ater Department's objection by her Order dated March 31, 2025. No further
10	respon	nse is required.
11		
12		
13		
14	RESPONSE	PROVIDED BY: Philadelphia Water Department
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-14.	ORIGINAL NUMBER LH-1-11
2		
3		PLEASE EXPLAIN WHO AT PWD DECIDES WHICH LAWYERS TO
4		CONTRACT WITH AND WHAT CRITERIA SHE/HE USES TO DECIDE
5		WHICH LAWYERS
6		
7	RESPONSE	E:
8	The V	Water Department objected to this information request. The Hearing Officer sustained
9	the V	Vater Department's objection by her Order dated March 31, 2025. No further
10	respo	onse is required.
11		
12		
13	RESPONSE	E PROVIDED BY: Philadelphia Water Department
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-15.	ORIGINAL NUMBER LH-1-12
2		
3		PLEASE LIST ALL OF THE LAWYERS PWD IS USING WHO HAVE
4		REPRESENTED CLIENTS OPPOSING RATE INCREASES
5		
6	RESPONSE	E:
7	The '	Water Department objected to this information request. The Hearing Officer sustained
8	the V	Vater Department's objection by her Order dated March 31, 2025. No further
9	respo	onse is required.
10		
11	RESPONSE	E PROVIDED BY: Philadelphia Water Department
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-16.	ORIGINAL NUMBER LH-1-13
2		
3		PLEASE LIST THE AMOUNTS PAID TO EACH LAW FIRM AND/OR
4		LAWYER FOR LEGAL FEES BUDGETED FOR THIS RATE INCREASE;
5		AND THE AMOUNT BUDGETED AND SPENT IN THE LAST RATE CASE.
6		
7	RESPONSE	:
8		
9	The c	ontract amount for services of outside regulatory counsel in connection with the
10	currer	nt rate case in FY25 is \$225,000 (three attorneys). The amount expended through
11	Febru	ary 2025 was \$89,202.
12		
13	The c	ontract amount for services of outside regulatory counsel in connection with the last
14		ase in FY23 was \$300,000 (three attorneys). The amount expended through June 30
15	2023	was \$294,750.
16		
17		e note that costs incurred in a rate proceeding are dependent upon hours expended
18	(e.g.,	a settlement generally takes less time and is less expensive).
19		
20	RESPONSE	PROVIDED BY: Philadelphia Water Department
21		
22		
23		
24		
25 26		
26 27		
$\begin{bmatrix} 27 \\ 28 \end{bmatrix}$		
ا ٥٠		

1	LH-I-17.	ORIGINAL NUMBER LH-1-14
2		
3		PLEASE LIST THE NAME OF AND THE AMOUNT OF THE
4		CONTRIBUTIONS GIVEN TO FEDERAL AND/OR STATE/AND OR
5		POLITICAL ACTION COMMITTEES GIVEN BY ANY OF THE LAWYERS,
6		LAW FIRMS, OR CONSULTANTS
7		
8	RESPONSE	E:
9	The V	Water Department objected to this information request. The Hearing Officer sustained
10	the V	Vater Department's objection by her Order dated March 31, 2025. No further
11	respo	onse is required.
12		
13	RESPONSE	E PROVIDED BY: Philadelphia Water Department
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-18.	ORIGINAL NUMBER LH-1-15
2		
3		PLEASE PROVIDE THE NAME OF THE COMPANY AND/OR PERSON
4		WHO LAST PREFORMED A MANAGEMENT AND/OR OPERATIONS
5		AUDIT FOR PWD.
6		
7	RESPONSE	D <b>:</b>
8	Audi	tor's Reports for City Departments, including PWD, are available at:
9	https:	://controller.phila.gov/audits/.
10		
11	Audi	ted Annual Financial Reports (AFRs) and Annual Comprehensive Financial Reports
12	are av	vailable from the City Treasurer at:
13	https:	://www.phila.gov/departments/office-of-the-director-of-finance/financial-reports/#/.
14		
15	RESPONSE	E PROVIDED BY: Philadelphia Water Department
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-19.	ORIGINAL NUMBER LH-1-16
2		
3		PLEASE PROVIDE A COPY OF THE AUDIT
4		
5	RESPONSE	:
6	See re	esponse to LH-I-18.
7		
8	RESPONSE	PROVIDED BY: Philadelphia Water Department
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27 28		
۷۵ ∣	1	

1	LH-I-20.	ORIGINAL NUMBER LH-1-17
2		
3		PLEASE PROVIDE THE INDUSTRY STANDARD TIME BETWEEN
4		MANAGEMENT/OPERATIONS AUDIT.
5		
6	RESPONSE	Ε:
7	The C	City Controller annually audits all City operating departments. If Mr. Haver is
8	reque	esting something more, he needs to clarify this information request.
9		
10	RESPONSE	E PROVIDED BY: Philadelphia Water Department
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25 26		
20 27		
28		
-	1	

1	LH-I-21.	ORIGINAL NUMBER LH-1-18
2		
3		PLEASE PROVIDE THE NAME OF THE CONSULTANT WHO REVIEWED
4		OPERATION AND RECOMMENDED SAVINGS FOR THIS RATE CASE
5		
6	RESPONSE	:
7	Please	e see response to LH-I-1. This was determined to be an internal responsibility. No
8	outsid	le consultant was delegated this responsibility.
9		
10	RESPONSE	PROVIDED BY: Philadelphia Water Department
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
<ul><li>25</li><li>26</li></ul>		
20 27		
28		
ں ے	I	

1	LH-1-22.	ORIGINAL NUMBER LH-1-19
2		
3		PLEASE PROVIDE THE NAME OF THE CONSULTANT WHO REVIEWS
4		PWD PROCUREMENTS AND RECOMMENDED SAVINGS FOR THIS RATE
5		CASE
6		
7	RESPONSE	:
8	Please	e see response to LH-1-4.
9		
10	RESPONSE	PROVIDED BY: Philadelphia Water Department
11		
12		
13		
14		
15		
16		
17 18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-23.	ORIGINAL NUMBER LH-1-20
2		
3		PLEASE PROVIDE A LIST OF ALL RATE CASES PWD'S CONSULTANTS
4		PARTICIPATED IN WHERE THE CONSULTANT RECOMMENDED
5		AGAINST A RATE INCREASE, THE CASE AND THE YEAR IN WHICH THE
6		CONSULTANT FOUND WAYS TO MAKE A RATE INCREASE UNNEEDED
7		AND UNWARRANTED.
8		
9	RESPONSE	:
10	The V	Water Department objected to this information request. The Hearing Officer sustained
11	the W	ater Department's objection by her Order dated March 31, 2025. No further
12	respo	nse is required.
13		
14	RESPONSE	PROVIDED BY: Philadelphia Water Department
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		

1	LH-I-24.	ORIGINAL NUMBER LH-1-21		
2				
3		PLEASE LIST ALL THE RECOMMENDATIONS FOR COST SAVINGS		
4		PROVIDED BY THE CONSULTANTS AND ADOPTED BY PWD		
5				
6	RESPONSE	:		
7	As stated in response to LH-I-21, no consultant was delegated the responsibility of			
8	recommending cost savings for this proceeding. The information request states no time			
9	frame. Clarification is needed to be more responsive. Please also see responses to LH-I-			
10	and L	H-I-3.		
11				
12	RESPONSE PROVIDED BY: Philadelphia Water Department			
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				

1	LH-I-25.	ORIGINAL NUMBER LH-1-22	
2			
3		PLEASE LIST ALL THE RECOMMENDATIONS FOR COST SAVINGS	
4		PROVIDED BY THE CONSULTANTS AND NOT ADOPTED BY PWD	
5			
6	RESPONSE	<b>:</b>	
7	Pleas	e see response to LH-I-24.	
8			
9	RESPONSE PROVIDED BY: Philadelphia Water Department		
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26 27			
$\begin{bmatrix} 27 \\ 28 \end{bmatrix}$			
20	1		

1	LH-I-26.	ORIGINAL NUMBER LH-1-23		
2				
3		PLEASE PROVIDE A COPY OF THE PROGRAM THAT OFFERS REWARDS		
4		TO PWD'S WORKFORCE FOR ESTABLISHING COST SAVINGS		
5		PROGRAMS		
6				
7	RESPONSE	E <b>:</b>		
8	No st	uch program exists. PWD is a governmental entity. Compensation is provided		
9	throu	igh wages and benefits. Please see PWD Statement 4A at page 7 and PWD Statement		
10	7 at p	pages 22-23 for a description of recent wage increases, signing bonuses and		
11	assoc	viated benefits.		
12				
13	RESPONSE PROVIDED BY: Philadelphia Water Department			
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				

1	LH-I-27.	ORIGINAL NUMBER LH-1-24
2		
3		PLEASE PROVIDE THE LAST PROGRAM DEVELOPED FROM THE
4		EMPLOYEE PROGRAM AWARDING WORKERS FOR DEVELOPING COST
5		SAVINGS
6		
7	RESPONSE	2:
8	Pleas	se see response to LH-I-26.
9		
10	RESPONSE	E PROVIDED BY: Philadelphia Water Department
11		
12		
13		
4		
15		
16		
17   18		
10		
20		
21		
22		
23		
24		
25		
26		
27		
28		